

Yield Reporting Form

HP LaserJet Pro M304/M404 and HP LaserJet Pro MFP M428 with cartridge model CF258A/CF259A/CF276A

Declared ISO yield

<p>Toner cartridge yield Average cartridge yield 3,000 standard pages¹ Declared yield value in accordance with ISO/IEC 19752 based on continuous printing</p>
--

Calculated test values

Average ¹	3,358
Standard Dev.	151
90% lower confidence limit ¹	3,279

Test date: beginning	6/24/2019
Test dates: ending	6/27/2019
Number of cartridges used in testing	12
Number of cartridges used in calculations	12
Type of cartridge	CF276A all in one
Shake procedure used?	Yes, at first and second fade
Print mode	Continuous
Job size	100 pages per job to 2750 pages, 25 thereafter
Number of engines used in testing	4
Media	HP Double A
Paper size	A4
Paper feed orientation	Short edge
Computer model	vSphere Client virtual PC
Operating system	Microsoft Windows 10
Application software	Adobe Reader 9
Print driver version	None: Internal PDF interpreter
Connection type	USB
Test page version*	Version 4.0 pdf

Power on/off every day	No
------------------------	----

Engine serial numbers:	Engine Firmware Version:
PHCX100016	1911D
PHCX100008	1911D
PHCBV01972	1911D
PHCBV02692	1911D

*filename: Download_Free___19752_Test_Chart___.pdf from ISO SC28 website

Cartridge testing data

Test environmental limits:	Temperature	Humidity
	°C	%RH
Max running average	23.4	54
Min running average	22.9	49
Average	23.1	52

CF276A		HP LJ Pro M404/HP LJ Pro MFP M428	
Cartridge	Lot Code	Engine SerNo	Cartridge Yield
CF276A_1	9E20H1Ba 20190520	PHCX100016	3,328
CF276A_2	9E20H1Ba 20190520	PHCX100008	3,262
CF276A_3	9E20H1Ba 20190520	PHCBV01972	3,124
CF276A_4	9E20H1Ba 20190520	PHCBV02692	3,162
CF276A_5	9E24H1Ba 20190524	PHCX100016	3,571
CF276A_6	9E24H1Ba 20190524	PHCX100008	3,315
CF276A_7	9E24H1Ba 20190524	PHCBV01972	3,269
CF276A_8	9E24H1Ba 20190524	PHCBV02692	3,318
CF276A_9	9E28H3Ba 20190528	PHCX100016	3,512
CF276A_10	9E28H3Ba 20190528	PHCX100008	3,607
CF276A_11	9E28H3Ba 20190528	PHCBV01972	3,392
CF276A_12	9E28H3Ba 20190528	PHCBV02692	3,430

¹ In an ISO report two values are commonly listed: declared ISO yield and calculated test values. Generally, the calculated test values are higher than the declared ISO yield. Actual cartridge yields vary considerably based on content of images printed and other factors. For more information visit www.hp.com/go/learnaboutsups.