

**Yield Reporting Form for HP Inc. Toner Supplies Solutions Group:****HP LaserJet Enterprise MFP M630 cartridge model  
CF281X****Declared ISO yield****Toner cartridge yield****Average cartridge yield 25,000 standard pages<sup>1</sup>***Declared yield value in accordance with ISO/IEC 19752 based on continuous printing.**Values reported do not include measurement uncertainty.**The results within this report relate only to the items tested as identified in this report.***Calculated test values**

Average <sup>1</sup>	28,554
Standard Dev.	966
90% lower confidence limit <sup>1</sup>	28,054

Test date: beginning	7/28/2020
Test dates: ending	8/5/2020
Number of cartridges used in testing	12
Number of cartridges used in calculations	12
Type of cartridge	Hewlett Packard CF281X All-in-one
Shake procedure used?	Yes, at first and second fade
Print mode	Continuous
Job size	500 pages per job to 23500 pages, 250 thereafter
Number of engines used in testing	3
Media	HP Multipurpose
Paper size	Letter
Paper feed orientation	Short edge
Computer model	vSphere virtual PC
Operating system	Microsoft Windows 10
Application software or HP Direct Print	Adobe Reader XI
Print driver version or HP Direct Print	HP Laserjet MFP M630 PCL6
Connection type	network
Test page version*	ISO-IEC 19752

Power on/off every day	No
------------------------	----

Engine serial numbers:

Engine Firmware Version:

MXBCH7J0QC	2410035_055342
MXBCH7J0KR	2410035_055342
MXBCH7J0Q5	2410035_055342

\*filename: Download\_Free\_\_\_19752\_Test\_Chart\_\_\_pdf from ISO SC28 website

Do not reproduce this report without approval of the Laserjet Test Lab/Hardware Test Center at HP Inc.

## Cartridge testing data

Test environmental limits:	Temperature	Humidity
	°C	%RH
<b>Max running average</b>	23.2	57
<b>Min running average</b>	22.9	48
<b>Average</b>	23.0	51

CF281X	HP LJ Enterprise MFP M630		
Cartridge	Lot Code	Engine SerNo	Cartridge Yield
CF281X-313	9K22S1a	MXBCH7J0QC	28,444
CF281X-314	9L07S3a	MXBCH7J0KR	28,440
CF281X-315	9L19S1a	MXBCH7J0Q5	28,166
CF281X-316	9L07S3a	MXBCH7J0QC	30,774
CF281X-317	9L19S1a	MXBCH7J0KR	28,628
CF281X-318	9K22S1a	MXBCH7J0Q5	29,449
CF281X-319	9L19S1a	MXBCH7J0QC	28,490
CF281X-320	9K22S1a	MXBCH7J0KR	27,137
CF281X-321	9L07S3a	MXBCH7J0Q5	29,311
CF281X-322	9K22S1a	MXBCH7J0QC	28,129
CF281X-323	9L07S3a	MXBCH7J0KR	28,375
CF281X-324	9L19S1a	MXBCH7J0Q5	27,309

<sup>1</sup> In an ISO report two values are commonly listed: declared ISO yield and calculated test values. Generally, the calculated test values are higher than the declared ISO yield. Actual cartridge yields vary considerably based on content of images printed and other factors. For more information visit [www.hp.com/go/learnaboutsupplies](http://www.hp.com/go/learnaboutsupplies).