

**ISO/IEC 24734 Printing Productivity Report: Office Category**

**Full Detailed Test Report - LETTER**

Color LaserJet Enterprise flow MFP M880

Printing device and settings	
Test Start Date and Time	10/17/2013 10:41
Tester	JB
Machine name/model	Color LaserJet Enterprise flow MFP M880
Colour or B&W	Colour
FW Version	2301132_395570
Temperature and Humidity	77 degF / 25 degC, 27 %RH
Voltage	110V
Test End Date and Time	7/22/2014 17:17

Item	Value	
<b>Mode and Setting</b>	Driver Version	Fusion9.0_Release13204_688-291
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Black & White
	Duplex B&W Settings	Black & White
	Setting N set count	Application
	Collating function	Activated (application)
<b>Paper Path</b>	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	No
<b>Paper</b>	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: Letter			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
<b>Color</b>	Simplex	16.0	45.2
	Duplex	22.2	43.2
<b>B&amp;W</b>	Simplex	16.4	45.2
	Duplex	21.8	43.2

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Detailed Report: LETTER						
	Office Category Test	FSOT (secs)	EFTP (ipm)		ESAT (ipm)	
			1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
<b>Color Mode</b>	Simplex - Adobe Reader	16.19	14.81 ( 1 set )	35.42 ( 8 sets )	42.43 ( 50 sets )	45.21
	Simplex - Word	15.11	15.88 ( 1 set )	36.11 ( 8 sets )		45.21
	Simplex - Excel	16.52	14.52 ( 1 set )	36.97 ( 8 sets )		45.24
	Simplex - Average	16.0	15.0	36.1	42.4	45.2
	Duplex - Adobe Reader	22.21	10.80 ( 1 set )	28.92 ( 7 sets )		43.22
	Duplex - Word	22.10	10.84 ( 1 set )	29.68 ( 7 sets )		43.24
	Duplex - Excel	22.26	10.76 ( 1 set )	29.40 ( 7 sets )		43.22
	Duplex - Average	22.2	10.8	29.3		43.2
<b>B&amp;W mode</b> (optional for color device)	Simplex - Adobe Reader	16.36	14.66 ( 1 set )	34.29 ( 8 sets )	42.59 ( 50 sets )	45.22
	Simplex - Word	16.23	14.77 ( 1 set )	35.93 ( 8 sets )		45.19
	Simplex - Excel	16.34	14.69 ( 1 set )	36.65 ( 8 sets )		45.23
	Simplex - Average	16.4	14.7	35.6	42.5	45.2
	Duplex - Adobe Reader	22.90	10.46 ( 1 set )	28.10 ( 7 sets )		43.20
	Duplex - Word	21.24	11.28 ( 1 set )	29.78 ( 7 sets )		43.22
	Duplex - Excel	21.10	11.36 ( 1 set )	30.10 ( 7 sets )		43.20
	Duplex - Average	21.8	11.0	29.3		43.2

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 - 3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

**ISO/IEC 24734 Printing Productivity Report: Office Category**

**Full Detailed Test Report - A4**

Color LaserJet Enterprise flow MFP M880

Printing device and settings	
Test Start Date and Time	10/17/2013 10:41
Tester	JB
Machine name/model	Color LaserJet Enterprise flow MFP M880
Colour or B&W	Colour
FW Version	2301132_395570
Temperature and Humidity	77 degF / 25 degC, 27 %rH
Voltage	110V
Test End Date and Time	7/22/2014 17:17

Item	Value	
Mode and Setting	Driver Version	Fusion9.0 Release13204_688-291
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Black & White
	Duplex B&W Settings	Black & White
	Setting N set count	Application
Collating function	Activated (application)	
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	No
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: A4			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Colour	Simplex	15.0	46.3
	Duplex	22.2	43.9
B&W	Simplex	16.3	46.3
	Duplex	22.0	43.4

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Detailed Report: A4						
	Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
			1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	
Colour Mode	Simplex - Adobe Reader	15.14	15.84 ( 1 set )	36.00 ( 8 sets )	42.98 ( 51 sets )	46.32
	Simplex - Word	14.66	16.36 ( 1 set )	37.64 ( 8 sets )		46.30
	Simplex - Excel	15.05	15.95 ( 1 set )	36.86 ( 8 sets )		46.30
	Simplex - Average	15.0	16.0	36.8	42.9	46.3
	Duplex - Adobe Reader	22.23	10.78 ( 1 set )	29.30 ( 7 sets )		43.94
	Duplex - Word	22.12	10.84 ( 1 set )	30.06 ( 7 sets )		43.94
	Duplex - Excel	22.21	10.80 ( 1 set )	29.96 ( 7 sets )		43.94
	Duplex - Average	22.2	10.8	29.7		43.9
B&W mode (optional for color device)	Simplex - Adobe Reader	15.95	15.04 ( 1 set )	35.00 ( 8 sets )	43.24 ( 51 sets )	46.31
	Simplex - Word	16.16	14.84 ( 1 set )	37.47 ( 8 sets )		46.31
	Simplex - Excel	16.55	14.49 ( 1 set )	37.18 ( 8 sets )		46.33
	Simplex - Average	16.3	14.7	36.5	43.2	46.3
	Duplex - Adobe Reader	22.80	10.52 ( 1 set )	28.48 ( 7 sets )		43.88
	Duplex - Word	21.60	11.10 ( 1 set )	29.88 ( 7 sets )		42.44
	Duplex - Excel	21.49	11.16 ( 1 set )	30.18 ( 7 sets )		43.94
	Duplex - Average	22.0	10.9	29.5		43.4

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aC5HR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

**ISO/IEC 29183 Copy Productivity Report**

**Full Detailed Test Report - LETTER**

Color LaserJet Enterprise flow MFP M880

Machine Setup Information	
Test Start Date and Time	10/17/2013 10:41
Tester	JB
Machine name/model	Color LaserJet Enterprise flow MFP M880
Colour or B&W	Colour
Configuration (options)	Not Specified
Temperature and Humidity	77 degF / 25 degC, 27 %rH
Test End Date and Time	7/22/2014 17:17

Pre-set Item	Pre-set Value	
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: Letter		
	sFCOT	sESAT (ipm)
Color	12.0	45.2
B&W	12.1	45.2

Notes  
First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

Detailed Report: LETTER						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
Color	A	12.09	4.96	33.97 25 sets	42.64 187 sets	45.25
	B	11.99	5.00	34.58 26 sets		45.24
	C	11.82	5.07	33.33 25 sets		45.23
	D	11.76	5.09	34.35 26 sets		45.25
	Average	12.0	5.0	34.0	42.6	45.2
	B&W	A	12.03	4.98	34.01 25 sets	42.66 188 sets
B		12.22	4.91	34.34 26 sets		45.25
C		12.04	4.97	33.22 26 sets		45.22
D		11.96	5.01	34.43 26 sets		45.23
Average		12.1	4.9	34.0	42.6	45.2

Notes  
First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

**ISO/IEC 29183 Copy Productivity Report**

Full Detailed Test Report - A4

Color LaserJet Enterprise flow MFP M880

Machine Setup Information	
Test Start Date and Time	10/17/2013 10:41
Tester	JB
Machine name/model	Color LaserJet Enterprise flow MFP M880
Colour or B&W	Colour
Configuration (options)	Not Specified
Temperature and Humidity	77 degF / 25 degC, 27 %rH
Test End Date and Time	7/22/2014 17:17

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m <sup>2</sup>
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: A4		
	sFCOT	sESAT (ipm)
Colour	12.1	46.2
B&W	12.0	46.3

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

Detailed Report: A4						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
Colour	A	12.31	4.87	35.95 29 sets	42.42 186 sets	46.32
	B	12.02	4.99	35.29 27 sets	<del>43.53</del> <del>194 sets</del>	46.22
	C	11.94	5.01	35.35 27 sets	<del>43.53</del> <del>194 sets</del>	46.31
	D	12.02	4.98	35.11 26 sets	<del>43.53</del> <del>194 sets</del>	46.31
	Average	12.1	4.9	35.4	42.4	46.2
B&W	A	11.94	5.01	35.29 28 sets	43.53 194 sets	46.32
	B	12.01	4.99	34.97 26 sets	<del>43.53</del> <del>194 sets</del>	46.32
	C	11.92	5.01	35.04 26 sets	<del>43.53</del> <del>194 sets</del>	46.30
	D	11.87	5.05	34.52 26 sets	<del>43.53</del> <del>194 sets</del>	46.31
	Average	12.0	5.0	34.9	43.5	46.3

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.