

Základná dokovacia stanica HP USB-C G5



Expand What's Possible

Have everything you need to get the job done with this compact dock that keeps your desk clean. With a single USB-C® cable¹, open your ports to all your accessories, connect up to three high-res displays², stable Ethernet connection, and so much more...all while charging your laptop¹. Clear your desk and clear your mind with this HP USB-C G5 Essential Dock.



*Product image may differ from actual product

Produktivita bez obmedzení

Effortlessly go the extra mile with just a single USB-C® cable¹. This essential dock seamlessly powers and supports 4 USB-A ports for all your accessories, up to 3 high-res displays², and stable Ethernet connection—all while delivering 65W of power to your laptop.

More Ports, Less Constraints

This essential dock is designed to work with what you're working with¹. It's compatible with most USB-C® or Thunderbolt™ enabled PCs³, and its various ports open the way to all your accessories.

Stay up to date

Keep your workforce up-to-date with connected firmware updates for your docking fleet⁴.

Essential Manageability

Make sure your workforce has the IT support they need to be productive with essential manageability features. Manage your docking fleet with full functionality of PXE boot⁵, MAC address pass-through⁶, Wake on LAN⁷, and LAN/WLAN switching.

Základná dokovacia stanica HP USB-C G5

Connected Firmware Update

IT can manage dock firmware updates while connected to the host PC.⁴

PXE Boot

Boot computers via a network interface, allowing IT to remotely set up an employee's device.⁵

LAN/WLAN Switching

For no interruptions in your connectivity, your dock turns off WLAN antennae automatically when connected to the LAN cable. When unplugged from the LAN cable, your device will automatically switch from wired network connection to Wi-Fi®.

MAC Address Pass-Through

Thanks to MAC address pass-through with full functionality, IT can easily identify and track their notebook fleet when connected through the dock's LAN.⁶

Wake-on-LAN

IT can make system updates and remotely image systems even when the computer is off or in sleep mode.⁷

Základná dokovacia stanica HP USB-C G5



Číslo produktu	72C71AA
Kompatibilita	Tested and supported on select commercial HP notebooks. For HP notebook compatibility please visit: https://pcb.inc.hp.com/webapp/#/us-en and search by notebook; Tested and supported on the following 3rd party notebooks: Apple MacBook Air Retina 2020, Google Pixelbook Go, Google Pixelbook Go 2, Apple MacBook Pro M1 2020, MacBook Air M1 2020, and Dell Latitude 7420.
Číslo UPC	197029013002
Materiál produktu	Plast
Port a konektory	Vpredu: 1 port SuperSpeed USB Type-C® na prenosovú rýchlosť 5 Gb/s (napájanie cez USB až do 15 W) Bočná strana: 2 porty SuperSpeed USB Type-A s prenosovou rýchlosťou 5 Gb/s (nabíjacie); 1 kombinovaný audiokonektor Vzadu: 2 porty DisplayPort™ 1.4; 1 port HDMI 2.0; 1 port RJ-45; 2 porty SuperSpeed USB Type-A s prenosovou rýchlosťou 5 Gb/s (nabíjacie)
Port napájacieho adaptéra	1 x 4,5 mm
Zdroj napájania	120 W sieťový adaptér ⁶
Typ pripojenia	1 predný kábel USB Type-C® na pripojenie k hostiteľskému systému (napájanie cez USB až do 65 W)
Fyzické zabezpečenie	1 Standard Kensington lock slot
Funkcie spravovateľnosti	PXE Boot; Wake on LAN (WoL); MAC Address Pass Through (MAPT); LAN/WLAN switching; Connected firmware update ^{2,3,4,5}
Napájanie systému	Až 65 W cez USB Type-C® (hostiteľské zariadenia HP aj iných značiek) ¹
Profily napájania (PD)	12V/5A; 5V/3A; 9V/3A; 15V/4.33A/20V/3.25A
Dĺžka kábla	1 m
Podpora externých monitorov	Pre hostiteľské zariadenia, ktoré podporujú rozhranie DisplayPort™ 1.4 s kompresiou Display Stream Compression: 3 x FHD, 60 Hz; 3 x QHD, 60 Hz; 3 x 4K UHD, 60 Hz; Pre hostiteľské zariadenia, ktoré podporujú rozhranie DisplayPort™ 1.3/1.4: 3 x FHD, 60 Hz; 3 x QHD, 60 Hz; 2 x 4K UHD, 60 Hz; Pre hostiteľské zariadenia, ktoré podporujú rozhranie DisplayPort™ 1.2: 3 x FHD, 60 Hz; 2 x QHD, 60 Hz; 1 x 4K UHD, 60 Hz ⁸
Typ tlačidla napájania	Mechanické tlačidlo napájania s indikátorom LED na zapnutie alebo prebudenie hostiteľského systému
Farba produktu	Čierna
Kompatibilné operačné systémy	Windows 11 21H2; Windows 11 22H2; Windows 10 21H2; Windows 10 22H2; ChromeOS™ v103 and later; macOS Monterey 12.4 and later; macOS Big Sur 11.6
Systémové požiadavky, minimálne	USB Type-C® (napájanie cez USB, DisplayPort™ v alternatívnom režime)
Obsah balenia	Základná dokovacia stanica HP USB-C G5 Sieťový adaptér 120 W Sieťový napájací kábel Stručný inštalčný leták Záručný list
Rozmery (š x h x v)	122 x 122 x 45 mm
Hmotnosť	0,68 kg

Základná dokovacia stanica HP USB-C G5

Poznámky v krátkych správach

¹ For USB-C® alt mode functionality, host PC must support the DisplayPort™ Alt mode protocol through its USB-C® or Thunderbolt™ port. Charging and port replication is supported on notebooks that have implemented USB-C® Alt Mode industry specifications. Power button to turn on or wake the system only functions on HP or HP supported notebooks. PXE Boot functionality will depend on whether the host systems firmware has the EFI driver available. Connected firmware updates require internet connection and your docking station is not useable while updating. HP does not provide Ethernet and audio drivers on Mac PCs.

² Supports 3 x FHD @ 60Hz, 2 x QHD @ 60 Hz, 3 x 4K (requires a DisplayPort 1.4 machine with Display Stream Compression. If the system does not support Display Stream Compression, then the system must support DisplayPort 1.4 with high-res mode enabled in the system).

³ Supported features may vary by operating system and laptop PC.

⁴ Connected firmware updates require internet connection and your docking station is not useable while updating.

⁵ PXE Boot functionality will depend on whether the host systems firmware has the EFI driver available.

⁶ Your laptop PC may support MAC address pass-through from the Off, Sleep or Hibernate States, or only when the computer is On or in Sleep. Certain features are not functional on non-HP supported or non-HP laptop PCs. MAC address pass-through supports S0, S3, S4, S5 from warm and cold dock.

⁷ Your laptop PC may support Wake-on-LAN from the Off, Sleep or Hibernate States, or only when the computer is On or in Sleep. Wake-on-LAN is not functional on non-HP supported or non-HP laptop PCs. Wake-on-LAN from warm and cold dock.

Poznámky k technickým údajom

¹ For USB-C® alt mode functionality, host PC must support the DisplayPort™ Alt mode protocol through its USB-C® or Thunderbolt™ port. Charging and port replication is supported on notebooks that have implemented USB-C® Alt Mode industry specifications. Power button to turn on or wake the system only functions on HP or HP supported notebooks. PXE Boot functionality will depend on whether the host systems firmware has the EFI driver available. Connected firmware updates require internet connection and your docking station is not useable while updating. HP does not provide Ethernet and audio drivers on Mac PCs.

² PXE Boot functionality will depend on whether the host systems firmware has the EFI driver available.

³ Your laptop PC may support Wake-on-LAN from the Off, Sleep or Hibernate States, or only when the computer is On or in Sleep. Wake-on-LAN is not functional on non-HP supported or non-HP laptop PCs. Wake-on-LAN from warm and cold dock.

⁴ Your laptop PC may support MAC address pass-through from the Off, Sleep or Hibernate States, or only when the computer is On or in Sleep. Certain features are not functional on non-HP supported or non-HP laptop PCs. MAC address pass-through supports S0, S3, S4, S5 from warm and cold dock.

⁵ Connected firmware updates require internet connection and your docking station is not useable while updating.

⁶ Cannot use any wattage below 120 W. Only 120 W or above. More wattage does not provide more power to the system.

⁷ Lock sold separately.

⁸ The Display Stream Compression (DSC) supported version and color format depends on the graphics capability. Display Stream Compression (DSC) is disabled when the display is attached to the VGA port or to an external DP2 VGA dongle.

